UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/512,146	10/22/2004	Hideki Haramoto	121571	2304
25944 OLIFF & BER	7590 04/13/2007 RIDGE PLC	EXAMINER		
P.O. BOX 19928			LESLIE, MICHAEL S	
ALEXANDRIA, VA 22320			ART UNIT	PAPER NUMBER
			3745	
SHORTENED STATUTORY PERIOD OF RESPONSE		MAIL DATE	DELIVERY MODE	
3 MONTHS		04/13/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)			
	10/512,146	HARAMOTO ET AL.			
Office Action Summary	Examiner	Art Unit			
	Michael Leslie	3745			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See, 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timused will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
<ol> <li>Responsive to communication(s) filed on 16 Fee</li> <li>This action is FINAL.</li> <li>Since this application is in condition for allowar closed in accordance with the practice under E</li> </ol>	action is non-final.				
Disposition of Claims		· v			
4) Claim(s) 14-16,24,25 and 27-31 is/are pending 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 14-16,24,25 and 27-30 is/are rejected 7) Claim(s) 31 is/are objected to. 8) Claim(s) are subject to restriction and/or Application Papers  9) The specification is objected to by the Examines 10) The drawing(s) filed on 22 October 2004 is/are: Applicant may not request that any objection to the of Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Examines	vn from consideration.  r election requirement.  r. a)⊠ accepted or b)⊡ objected drawing(s) be held in abeyance. Section is required if the drawing(s) is objected	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119		•			
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>					
Attachment(s)  Notice of References Cited (PTO-892)  Notice of Draftsperson's Patent Drawing Review (PTO-948)  Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	te			

Page 2

Applicant's arguments filed February 16, 2007 have been fully considered but they are not persuasive. Claims 14-16, 24, 25, and 27-31 are pending.

Applicant has generally argued that due to action of an engine brake a counterbalance valve would not be necessary, and that one of ordinary skill in the art would not have been motivated to combine Fujikawa et al (JP 2001-304409) and Mechin (3864910) to provide a counterbalance valve due to the complexity of the circuit. These statements are not agreed with. The scenario concerning the action of the engine brake is not described in the disclosure of Fujikawa et al, thus further discussion is moot. Further one of ordinary skill in the art would be motivated to combine Fujikawa et al and Mechin to provide a counterbalance valve in a closed circuit as demonstrated by Nagahara (4481769). Nagahara discloses a closed circuit hydraulic drive having a variable displacement pump (2) and motor (6), a travel motion control valve (8), a counterbalance valve (12), and an overspeed protection device (22).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 14-16 and 27-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fujikawa et al (JP 2001-304409) in view of Mechin (3864910).

Fujikawa et al discloses a travel motion control apparatus for a hydraulically driven vehicle, having a hydraulic pump (7) that is driven by a driving motor (not shown) and outputs hydraulic operating oil inside a tank (40), a travel motion motor (1) that is driven with pressure oil supplied from the hydraulic pump, a rotation rate detection device (2) that detects a rotation rate of the travel motion motor, and an over rotation prevention device (4, 3c, 5, 33, etc.) that reduces a rotation rate of the travel motion motor if the rotation rate detection device detects a rotation rate equal to or higher than a predetermined rotation rate upper limit while the an operation device (not shown) for controlling the circuit is being operated. Wherein the travel motion motor is a variable displacement travel motion motor, there is provided a displacement volume control device (33) that controls the displacement volume of the motor in correspondence to the travel pressure at the travel motion motor, the over rotation prevention device increases the displacement volume of the travel motion motor regardless of motor displacement volume control executed by the displacement volume control device if the rotation rate detection device detects a rotation rate equal to or higher than the rotation rate upper limit, and control for increasing the displacement volume of the travel motion motor is stopped once the rotation rate of the travel motion motor becomes equal to or less than a predetermined rotation rate lower limit which is at least lower than the rotation rate upper limit and the displacement volume of the travel motion motor is controlled by the displacement volume control device in correspondence to the traveling pressure. The travel motion control apparatus is in a hydraulically driven excavator. Fujikawa et al teaches a reversible hydraulic pump, but does not teach the use of a travel motion control valve that controls a flow rate of the pressure oil supplied from the hydraulic pump to the travel motion motor and includes a pressure oil supply

Art Unit: 3745

port through which the pressure oil is supplied to the travel motion motor and a return port through which the pressure oil returns to the tank controlled by an operation device, or a counterbalance valve disposed between the travel motion motor and the travel motion control valve, which is controlled by a travel pressure output from the hydraulic pump.

Mechin discloses a travel motion control apparatus for a hydraulically driven vehicle, having a hydraulic pump (2), a travel motion motor (1) that is driven with pressure oil supplied from the hydraulic pump, a travel motion control valve (9), disposed between the hydraulic pump and travel motion motor, that controls a flow rate of the pressure oil supplied from the hydraulic pump to the travel motion motor, an operation device (not labeled) with which the travel motion control valve is operated, and an over rotation prevention device. Mechin further teaches a counterbalance valve (13) disposed between the travel motion motor and the travel motion control valve, which is controlled by a travel pressure output from the hydraulic pump.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Fujikawa et al by replacing the reversible pump of a closed loop with a travel motion control valve that controls a flow rate of the pressure oil supplied from the hydraulic pump to the travel motion motor and includes a pressure oil supply port through which the pressure oil is supplied to the travel motion motor and a return port through which the pressure oil returns to the tank controlled by an operation device of an open loop and the addition of a counterbalance valve disposed between the travel motion motor and the travel motion control valve as taught by Mechin for the purpose of controlling fluid flow between the pump and travel motion motor.

Application/Control Number: 10/512,146

Art Unit: 3745

In further regard to claim 27 and 28, Fujikawa et al, as modified, does not teach a specific range of displacements relative to maximum displacement to which the motor is controlled by the over rotation device. Since applicant has not disclosed that having the over rotation prevention device increase the displacement to 40% to 70% of maximum displacement solves any stated problem or is for any particular purpose above the fact that this range will decrease the speed of the motor and it appears that the over rotation prevention device of Fujikawa et al, as modified, would perform equally well with the actuation range as claimed by applicant, it would have been an obvious matter of design choice to modify the system of Fujikawa et al, as modified, by utilizing the actuation range as claimed for the purpose of reducing the speed of the motor.

Claims 24 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Fujikawa et al (JP 2001-304409) in view of Mechin (3864910) as applied to claims 15 and 16 respectively above, and further in view of Takehisa et al (JP 01-116371).

Fujikawa et al, as modified, discloses a travel motion control apparatus for a hydraulically driven vehicle as described above, but does not teach that when rotation rate detection device detects a rotation rate equal to or higher than the rotation rate upper limit, the over rotation prevention device gradually increases the displacement volume of the travel motion motor.

Takehisa et al a system for controlling the speed change of a variable pump and variable motor system, wherein the speed change is controlled to be gradual.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the system of Fujikawa et al, as modified, by having the over rotation prevention device gradually increases the displacement volume of the travel motion motor as taught by Takehisa et al for the purpose of avoiding jerking movements of the vehicle.

## Allowable Subject Matter

Claim 31 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

## Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Application/Control Number: 10/512,146

Art Unit: 3745

Any inquiry concerning this communication or earlier communications from the

Page 7

examiner should be directed to Michael Leslie whose telephone number is (571) 272-4819. The

examiner can normally be reached on M-F 8:00am - 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Edward Look can be reached on (571) 272-4820. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

ML

April 9, 2007

Michael Leslie Primary Examiner

AU 3745